acc. to 29 CFR 1910.1200 App D

# **Royal Reflections Ceramic Silica Infused Detox Wash**

Version number: GHS 1.0 Date of compilation: 2019-11-19

#### **SECTION 1: Identification**

#### 1.1 Product identifier

Trade name Royal Reflections Ceramic Silica Infused Detox

Wash

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Vehicle shampoo and shine

#### 1.3 Details of the supplier of the safety data sheet

Royal Reflections 127 N 8th Street West Branch, MI 48661

1-877-511-8411

#### 1.4 Emergency telephone number

Emergency information service USA 1.800.535.5053, INTL 1.352.323.3500

24 hour emergency number

#### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16.

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS05



#### - Hazard statements

H315 Causes skin irritation.
H318 Causes serious eye damage.

#### - Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P310 Immediately call a poison center/doctor.
P321 Specific treatment (see on this label).

P362 Take off contaminated clothing and wash it before reuse.

- Hazardous ingredients for labelling

Alcohols, C12-14, 2 mol ethoxylated, sulfates, sodium salts

#### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

United States: en Page: 1 / 12

acc. to 29 CFR 1910.1200 App D

# **Royal Reflections Ceramic Silica Infused Detox Wash**

Version number: GHS 1.0 Date of compilation: 2019-11-19

Hazards not otherwise classified

Harmful to aquatic life with long lasting effects (GHS category 3: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
Alcohols, C12-14, 2 mol eth- oxylated, sulfates, sodium salts	CAS No 9004-82-4 68891-38-3 15826-16-1	12-<20	Acute Tox. 4 / H312 Skin Irrit. 2 / H315 Eye Dam. 1 / H318
cocamidopropylhydroxysultaine	CAS No 68139-30-0	1-<3	Eye Irrit. 2A / H319
Sodium 2-(2- dodecyloxyethoxy)ethyl sulphate	CAS No 3088-31-1	1-<3	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319

Hazardous ingredients, Consideration of other advice

Exact percentage of ingredients is withheld as a trade secret.

For full text of abbreviations: see SECTION 16.

### **SECTION 4: First-aid measures**

#### 4.1 Description of first- aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

United States: en Page: 2 / 12

acc. to 29 CFR 1910.1200 App D

# **Royal Reflections Ceramic Silica Infused Detox Wash**

Version number: GHS 1.0 Date of compilation: 2019-11-19

#### **SECTION 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

United States: en Page: 3 / 12

acc. to 29 CFR 1910.1200 App D

# **Royal Reflections Ceramic Silica Infused Detox Wash**

Version number: GHS 1.0 Date of compilation: 2019-11-19

### 7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

Frost

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

This information is not available.

#### Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Alcohols, C12-14, 2 mol ethoxylated, sulfates, sodium salts	9004-82-4 68891-38-3 15826-16-1	DNEL	175 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Alcohols, C12-14, 2 mol ethoxylated, sulfates, sodium salts	9004-82-4 68891-38-3 15826-16-1	DNEL	2,750 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Alcohols, C12-14, 2 mol ethoxylated, sulfates, sodium salts	9004-82-4 68891-38-3 15826-16-1	DNEL	132 μg/cm²	human, dermal	worker (industry)	chronic - local ef- fects
Sodium 2-(2-dodecyl- oxyethoxy)ethyl sulph- ate	3088-31-1	DNEL	1.102 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Sodium 2-(2-dodecyl- oxyethoxy)ethyl sulph- ate	3088-31-1	DNEL	0.625 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Alcohols, C12-14, 2 mol ethoxylated, sulfates, sodium salts	9004-82-4 68891-38-3 15826-16-1	PNEC	0.24 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
Alcohols, C12-14, 2 mol ethoxylated, sulfates, sodium salts	9004-82-4 68891-38-3 15826-16-1	PNEC	0.024 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
Alcohols, C12-14, 2 mol ethoxylated, sulfates, sodium salts	9004-82-4 68891-38-3 15826-16-1	PNEC	10 <sup>g</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Alcohols, C12-14, 2 mol ethoxylated, sulfates, sodium salts	9004-82-4 68891-38-3 15826-16-1	PNEC	0.917 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Alcohols, C12-14, 2 mol ethoxylated, sulfates, sodium salts	9004-82-4 68891-38-3 15826-16-1	PNEC	0.092 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
Alcohols, C12-14, 2 mol ethoxylated, sulfates, sodium salts	9004-82-4 68891-38-3 15826-16-1	PNEC	7.5 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)

United States: en Page: 4 / 12

acc. to 29 CFR 1910.1200 App D

# **Royal Reflections Ceramic Silica Infused Detox Wash**

Version number: GHS 1.0 Date of compilation: 2019-11-19

#### Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Sodium 2-(2-dodecyl- oxyethoxy)ethyl sulph- ate	3088-31-1	PNEC	0.086 <sup>mg</sup> / <sub>I</sub>	aquatic organisms	freshwater	short-term (single instance)
Sodium 2-(2-dodecyl- oxyethoxy)ethyl sulph- ate	3088-31-1	PNEC	0.009 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
Sodium 2-(2-dodecyl- oxyethoxy)ethyl sulph- ate	3088-31-1	PNEC	0.861 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent re- lease
Sodium 2-(2-dodecyl- oxyethoxy)ethyl sulph- ate	3088-31-1	PNEC	588.9 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Sodium 2-(2-dodecyl- oxyethoxy)ethyl sulph- ate	3088-31-1	PNEC	3,222 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Sodium 2-(2-dodecyl- oxyethoxy)ethyl sulph- ate	3088-31-1	PNEC	3,222 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
Sodium 2-(2-dodecyl- oxyethoxy)ethyl sulph- ate	3088-31-1	PNEC	1,527 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)

#### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

### Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

United States: en Page: 5 / 12

acc. to 29 CFR 1910.1200 App D

# **Royal Reflections Ceramic Silica Infused Detox Wash**

Version number: GHS 1.0 Date of compilation: 2019-11-19

# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties Appearance

Physical state	liquid (viscous)
Color	pearlescent - light green
Odor	fruity - citrus

### Other safety parameters

pH (value)	7 – 7.5 (25 °C)
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	not determined closed cup
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	not determined
Vapor pressure	31.69 hPa at 25 °C
Density	1.03 <sup>g</sup> / <sub>cm³</sub> at 25 °C
Vapor density	this information is not available

## Solubility(ies)

- Water solubility	miscible in any proportion
--------------------	----------------------------

### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

United States: en Page: 6 / 12

acc. to 29 CFR 1910.1200 App D

# Royal Reflections Ceramic Silica Infused Detox Wash

Version number: GHS 1.0 Date of compilation: 2019-11-19

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

Oxidizers

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture						
Name of substance CAS No Exposure route ATE						
Alcohols, C12-14, 2 mol ethoxylated, sulfates, sodium salts	9004-82-4 68891-38-3 15826-16-1	dermal	≥2,000 <sup>mg</sup> / <sub>kg</sub>			

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

United States: en Page: 7 / 12

acc. to 29 CFR 1910.1200 App D

# **Royal Reflections Ceramic Silica Infused Detox Wash**

Version number: GHS 1.0 Date of compilation: 2019-11-19

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Alcohols, C12-14, 2 mol ethoxylated, sulfates, sodium salts	9004-82-4 68891-38-3 15826-16-1	LC50	7.1 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Alcohols, C12-14, 2 mol ethoxylated, sulfates, sodium salts	9004-82-4 68891-38-3 15826-16-1	EC50	7.2 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Alcohols, C12-14, 2 mol ethoxylated, sulfates, sodium salts	9004-82-4 68891-38-3 15826-16-1	ErC50	27 <sup>mg</sup> / <sub>l</sub>	algae	72 h
cocamidopropylhy- droxysultaine	68139-30-0	LC50	1.7 – 2 <sup>mg</sup> / <sub>l</sub>	algae	72 h
cocamidopropylhy- droxysultaine	68139-30-0	LC50	1.7 – 2 <sup>mg</sup> / <sub>l</sub>	daphnia	48 h
cocamidopropylhy- droxysultaine	68139-30-0	LC50	1.7 – 2 <sup>mg</sup> / <sub>l</sub>	fish	96 h

### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Alcohols, C12-14, 2 mol ethoxylated, sulfates, sodium salts	9004-82-4 68891-38-3 15826-16-1	EC50	0.37 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	21 d
Alcohols, C12-14, 2 mol ethoxylated, sulfates, sodium salts	9004-82-4 68891-38-3 15826-16-1	LC50	0.74 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	21 d

### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

United States: en Page: 8 / 12

acc. to 29 CFR 1910.1200 App D

# **Royal Reflections Ceramic Silica Infused Detox Wash**

Version number: GHS 1.0 Date of compilation: 2019-11-19

#### 12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## **SECTION 14: Transport information**

**14.1 UN number** not subject to transport regulations

14.2 UN proper shipping name not assigned
 14.3 Transport hazard class(es) not assigned
 14.4 Packing group not assigned

**14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous

goods regulations

#### 14.6 Special precautions for user

There is no additional information.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT)

Not subject to transport regulations.

**International Maritime Dangerous Goods Code (IMDG)** 

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations specific for the product in question

**National regulations (United States)** 

Toxic Substance Control Act (TSCA) all ingredients are listed

United States: en Page: 9 / 12

acc. to 29 CFR 1910.1200 App D

# **Royal Reflections Ceramic Silica Infused Detox Wash**

Version number: GHS 1.0 Date of compilation: 2019-11-19

# California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals					
Name of substance	Name acc. to inventory	CAS No	Wt%	Remarks	Type of the tox-icity
ethylene oxide	ethylene oxide	75-21-8	0.0000420 9		cancer
ethylene oxide	ethylene oxide	75-21-8	0.0000420 9		female
ethylene oxide	ethylene oxide	75-21-8	0.0000420 9		develop- mental, male

123-91-1

0.0004209

cancer

1,4-dioxane

#### **VOC** content

1,4-dioxane

Regulated Volatile Organic Compounds (VOC-EPA): 0.4459 % Regulated Volatile Organic Compounds (VOC-Cal ARB): 0.4461 %

#### Industry or sector specific available guidance(s)

#### **NPCA-HMIS® III**

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

#### **NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

#### **National inventories**

Country	Inventory	Status	
CA	DSL	all ingredients are listed	
EU	REACH Reg.	not all ingredients are listed	
US	TSCA	all ingredients are listed	

Legend

DSL Domestic Substances List (DSL)
REACH Reg. REACH registered substances

United States: en Page: 10 / 12

acc. to 29 CFR 1910.1200 App D

# **Royal Reflections Ceramic Silica Infused Detox Wash**

Version number: GHS 1.0 Date of compilation: 2019-11-19

Legend

TSCA Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# SECTION 16: Other information, including date of preparation or last revision

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
49 CFR US DOT	49 CFR § 40 U.S. Department of Transportation	
Acute Tox.	Acute toxicity	
ATE	Acute Toxicity Estimate	
Cal ARB	California Air Resources Board	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
Eye Dam.	Seriously damaging to the eye	
Eye Irrit.	Irritant to the eye	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")	
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition	
OSHA	Occupational Safety and Health Administration (United States)	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)	
Skin Corr.	Corrosive to skin	
Skin Irrit.	Irritant to skin	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	

#### Key literature references and sources for data

United States: en Page: 11 / 12

acc. to 29 CFR 1910.1200 App D

# **Royal Reflections Ceramic Silica Infused Detox Wash**

Version number: GHS 1.0 Date of compilation: 2019-11-19

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 12 / 12