acc. to 29 CFR 1910.1200 App D

Royal Reflections Chariot Rapid Wax

Version number: GHS 1.0 Date of compilation: 2019-11-19

SECTION 1: Identification

1.1 Product identifier

Trade name Royal Reflections Chariot Rapid Wax

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Vehicle wax

1.3 Details of the supplier of the safety data sheet

Royal Reflections 127 N 8th Street West Branch, MI 48661

1-877-511-8411

1.4 Emergency telephone number

Emergency information service USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency number

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.7	reproductive toxicity	2	Repr. 2	H361f

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The mixture contains a substance that was identified as a PBT (persistent, bioaccumulative and toxic). The mixture contains a substance that was identified as vPvB (very persistent and very bioaccumulative).

Additional information

Containing a PBT-/vPvB-substance in a concentration of ≥ 0,1%.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms

GHS08



- Hazard statements

H361f Suspected of damaging fertility.

- Precautionary statements

P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 If exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Hazardous ingredients for labelling octamethylcyclotetrasiloxane

United States: en Page: 1 / 13

acc. to 29 CFR 1910.1200 App D

Royal Reflections Chariot Rapid Wax

Version number: GHS 1.0 Date of compilation: 2019-11-19

2.3 Other hazards

Hazards not otherwise classified

Very toxic to aquatic life with long lasting effects (GHS category 1: aquatic toxicity - acute and/or chronic).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	
octamethylcyclotetrasiloxane	CAS No 556-67-2	1-<3	Repr. 2 / H361f Flam. Liq. 3 / H226	
decamethylcyclopentasiloxane	CAS No 541-02-6	0.1 - < 1	Flam. Liq. 4 / H227	

Hazardous ingredients, Consideration of other advice

Exact percentage of ingredients is withheld as a trade secret.

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first- aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

United States: en Page: 2 / 13

acc. to 29 CFR 1910.1200 App D

Royal Reflections Chariot Rapid Wax

Version number: GHS 1.0 Date of compilation: 2019-11-19

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

United States: en Page: 3 / 13

acc. to 29 CFR 1910.1200 App D

Royal Reflections Chariot Rapid Wax

Version number: GHS 1.0 Date of compilation: 2019-11-19

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

Frost

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

This information is not available.

Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m ³	human, inhalatory	worker (industry)	acute - local ef- fects
decamethylcyclo- pentasiloxane	541-02-6	DNEL	97.3 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
decamethylcyclo- pentasiloxane	541-02-6	DNEL	97.3 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
decamethylcyclo- pentasiloxane	541-02-6	DNEL	24.2 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects
decamethylcyclo- pentasiloxane	541-02-6	DNEL	24.2 mg/m ³	human, inhalatory	worker (industry)	acute - local ef- fects

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
octamethylcyclotet- rasiloxane	556-67-2	PNEC	10 ^{mg} / _l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.059 ^{mg} / _{kg}	pelagic organisms	sediment	short-term (single instance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	1.7 ^{mg} / _{kg}	(top) predators	water	short-term (single instance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.44 ^{µg} / _I	aquatic organisms	freshwater	short-term (single instance)

United States: en Page: 4 / 13

acc. to 29 CFR 1910.1200 App D

Royal Reflections Chariot Rapid Wax

Version number: GHS 1.0 Date of compilation: 2019-11-19

<u>'</u>					
CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
556-67-2	PNEC	0.044 ^{µg} / _I	aquatic organisms	marine water	short-term (single instance)
556-67-2	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
556-67-2	PNEC	3 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
556-67-2	PNEC	0.3 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
556-67-2	PNEC	0.59 ^{mg} / _{kg}	benthic organisms	sediment	short-term (single instance)
556-67-2	PNEC	0.16 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)
541-02-6	PNEC	10 ^{mg} / _l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
541-02-6	PNEC	11 ^{mg} / _{kg}	benthic organisms	sediment	short-term (single instance)
541-02-6	PNEC	13 ^{mg} / _{kg}	(top) predators	water	short-term (single instance)
541-02-6	PNEC	1.1 ^{mg} / _{kg}	pelagic organisms	sediment	short-term (single instance)
541-02-6	PNEC	1.2 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)
541-02-6	PNEC	0.12 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)
541-02-6	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
541-02-6	PNEC	11 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
541-02-6	PNEC	1.1 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
541-02-6	PNEC	1.27 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)
	556-67-2 556-67-2 556-67-2 556-67-2 556-67-2 556-67-2 541-02-6 541-02-6 541-02-6 541-02-6 541-02-6 541-02-6 541-02-6 541-02-6	point 556-67-2 PNEC 556-67-2 PNEC 556-67-2 PNEC 556-67-2 PNEC 556-67-2 PNEC 541-02-6 PNEC	point level 556-67-2 PNEC 0.044 μg/ι 556-67-2 PNEC 10 mg/ι 556-67-2 PNEC 3 mg/kg 556-67-2 PNEC 0.3 mg/kg 556-67-2 PNEC 0.59 mg/kg 556-67-2 PNEC 0.16 mg/kg 541-02-6 PNEC 10 mg/ι 541-02-6 PNEC 13 mg/kg 541-02-6 PNEC 1.1 mg/kg 541-02-6 PNEC 1.2 μg/ι 541-02-6 PNEC 0.12 μg/ι 541-02-6 PNEC 10 mg/ι 541-02-6 PNEC 10 mg/ι 541-02-6 PNEC 11 mg/kg 541-02-6 PNEC 1.1 mg/kg 541-02-6 PNEC 1.1 mg/kg	pointlevel556-67-2PNEC $0.044 ^{\mu g}/_{l}$ aquatic organisms556-67-2PNEC $10 ^{mg}/_{kg}$ aquatic organisms556-67-2PNEC $0.3 ^{mg}/_{kg}$ aquatic organisms556-67-2PNEC $0.59 ^{mg}/_{kg}$ benthic organisms556-67-2PNEC $0.16 ^{mg}/_{kg}$ terrestrial organisms541-02-6PNEC $10 ^{mg}/_{l}$ microorganisms541-02-6PNEC $11 ^{mg}/_{kg}$ benthic organisms541-02-6PNEC $13 ^{mg}/_{kg}$ (top) predators541-02-6PNEC $1.1 ^{mg}/_{kg}$ pelagic organisms541-02-6PNEC $1.2 ^{\mu g}/_{l}$ aquatic organisms541-02-6PNEC $0.12 ^{\mu g}/_{l}$ aquatic organisms541-02-6PNEC $10 ^{mg}/_{l}$ aquatic organisms541-02-6PNEC $10 ^{mg}/_{kg}$ aquatic organisms541-02-6PNEC $11 ^{mg}/_{kg}$ aquatic organisms541-02-6PNEC $11 ^{mg}/_{kg}$ aquatic organisms541-02-6PNEC $11 ^{mg}/_{kg}$ aquatic organisms	pointlevelcompartment556-67-2PNEC $0.044 ^{\mu g}/_{l}$ aquatic organismsmarine water556-67-2PNEC $10 ^{mg}/_{kg}$ aquatic organismssewage treatment plant (STP)556-67-2PNEC $3 ^{mg}/_{kg}$ aquatic organismsfreshwater sediment556-67-2PNEC $0.59 ^{mg}/_{kg}$ benthic organismssediment556-67-2PNEC $0.16 ^{mg}/_{kg}$ terrestrial organismssoil541-02-6PNEC $10 ^{mg}/_{l}$ microorganismssewage treatment plant (STP)541-02-6PNEC $11 ^{mg}/_{kg}$ benthic organismssediment541-02-6PNEC $13 ^{mg}/_{kg}$ (top) predatorswater541-02-6PNEC $1.1 ^{mg}/_{kg}$ pelagic organismssediment541-02-6PNEC $1.2 ^{\mu g}/_{l}$ aquatic organismsfreshwater541-02-6PNEC $1.2 ^{\mu g}/_{l}$ aquatic organismsmarine water541-02-6PNEC $10 ^{mg}/_{l}$ aquatic organismssewage treatment plant (STP)541-02-6PNEC $10 ^{mg}/_{l}$ aquatic organismsfreshwater sediment541-02-6PNEC $11 ^{mg}/_{lg}$ aquatic organismsfreshwater sediment541-02-6PNEC $1.1 ^{mg}/_{lg}$ aquatic organismsmarine sediment

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

United States: en Page: 5 / 13

acc. to 29 CFR 1910.1200 App D

Royal Reflections Chariot Rapid Wax

Version number: GHS 1.0 Date of compilation: 2019-11-19

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	light orange
Odor	fruity

Other safety parameters

pH (value)	7-8.5 (25 °C)
Melting point/freezing point	0 °C
Initial boiling point and boiling range	100 °C
Flash point	>100 °C at 101.3 kPa closed cup
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	not determined
Vapor pressure	31.69 hPa at 25 °C
Density	1 ^g / _{cm³} at 25 °C
Vapor density	this information is not available

Solubility(ies)

- Water solubility	miscible in any proportion
--------------------	----------------------------

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	384 °C
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

United States: en Page: 6 / 13

acc. to 29 CFR 1910.1200 App D

Royal Reflections Chariot Rapid Wax

Version number: GHS 1.0 Date of compilation: 2019-11-19

Temperature class (USA, acc. to NEC 500)	T2 (maximum permissible surface temperature on the equipment:
	300°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Suspected of damaging fertility.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

United States: en Page: 7 / 13

acc. to 29 CFR 1910.1200 App D

Royal Reflections Chariot Rapid Wax

Version number: GHS 1.0 Date of compilation: 2019-11-19

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
octamethylcyclotet- rasiloxane	556-67-2	LC50	>22 ^{µg} / _I	fish	96 h
octamethylcyclotet- rasiloxane	556-67-2	EC50	>1,000 ^{mg} / _I	>1,000 ^{mg} / _I aquatic invertebrates	
decamethylcyclopentas- iloxane	541-02-6	LC50	>16 ^{µg} / _I	fish	96 h
decamethylcyclopentas- iloxane	541-02-6	EC50	>2.9 ^{µg} /	aquatic invertebrates	48 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
octamethylcyclotet- rasiloxane	556-67-2	LC50	10 ^{µg} / _I	fish	14 d
octamethylcyclotet- rasiloxane	556-67-2	EC50	>500 ^{mg} / _I	aquatic invertebrates	24 h
decamethylcyclopentas- iloxane	541-02-6	LC50	>16 ^{µg} / _I	fish	14 d
decamethylcyclopentas- iloxane	541-02-6	EC50	>15 ^{µg} / _I	aquatic invertebrates	21 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

The substance fulfills the very bioaccumulative criterion.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

The mixture contains a substance that was identified as a PBT (persistent, bioaccumulative and toxic). The mixture contains a substance that was identified as vPvB (very persistent and very bioaccumulative).

12.6 Other adverse effects

Endocrine disrupting potential

The mixture contains substance(s) with an endocrine disrupting potential.

United States: en Page: 8 / 13

acc. to 29 CFR 1910.1200 App D

Royal Reflections Chariot Rapid Wax

Version number: GHS 1.0 Date of compilation: 2019-11-19

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number 3082

14.2 UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

14.3 Transport hazard class(es)

Class 9 (environmentally hazardous)

14.4 Packing group III (substance presenting low danger)

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT)

Not regulated under DOT until packaged in single containers larger than 119 gallons each - liquid, or 882 lbs each - solid.

Index number 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

- Particulars in the shipper's declaration UN3082, Environmentally hazardous substance, li-

quid, n.o.s., 9, III

Class 9
Packing group III

Danger label(s) 9, fish and tree



Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP)

8, 146, 173, 335, IB3, T4, TP1, TP29

ERG No 171

United States: en Page: 9 / 13

acc. to 29 CFR 1910.1200 App D

Royal Reflections Chariot Rapid Wax

Version number: GHS 1.0 Date of compilation: 2019-11-19

International Maritime Dangerous Goods Code (IMDG)

UN number 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S.

Class

Marine pollutant Yes (hazardous to the aquatic environment)

Packing group III

Danger label(s) 9, fish and tree

Special provisions (SP) 274, 335, 969

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
EmS F-A, S-F

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR)

UN number 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Class 9

Environmental hazards yes (hazardous to the aquatic environment)

Packing group III

Danger label(s) 9, fish and tree

Special provisions (SP) A97, A158, A197

Excepted quantities (EQ) E1
Limited quantities (LQ) 30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

United States: en Page: 10 / 13

acc. to 29 CFR 1910.1200 App D

Royal Reflections Chariot Rapid Wax

Version number: GHS 1.0 Date of compilation: 2019-11-19

VOC content

Regulated Volatile Organic Compounds (VOC-EPA): 0.01553 % Regulated Volatile Organic Compounds (VOC-Cal ARB): 0.01553 %

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	0	no significant risk to health
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
CA	DSL	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

DSL Domestic Substances List (DSL)
REACH Reg.
REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

United States: en Page: 11 / 13

acc. to 29 CFR 1910.1200 App D

Royal Reflections Chariot Rapid Wax

Version number: GHS 1.0 Date of compilation: 2019-11-19

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR § 40 U.S. Department of Transportation
Cal ARB	California Air Resources Board
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EmS	Emergency Schedule
EPA I	Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment
ERG No	Emergency Response Guidebook - Number
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
Repr.	Reproductive toxicity
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
VOC	Volatile Organic Compounds

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

United States: en Page: 12 / 13

acc. to 29 CFR 1910.1200 App D

Royal Reflections Chariot Rapid Wax

Version number: GHS 1.0 Date of compilation: 2019-11-19

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H227	Combustible liquid.
H361f	Suspected of damaging fertility.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 13 / 13